

according to Regulation (EC) No 1907/2006

Arizona dust according to SAE J726 fine

Product code: KSL0011 Revision: 10/31/2025 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Arizona dust according to SAE J726 fine

UFI: G300-P0FF-F002-GXUQ

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Test dust

1.3. Details of the supplier of the safety data sheet

Company name: KSL staubtechnik gmbh Street: Westendstraße 11 Place: D-89415 Lauingen

Telephone: +49 (0) 9072 95 00-0 Telefax: +49 (0) 9072 95 00-50

E-mail: info@ksl-staubtechnik.de

Contact person: Dr. R. Stadler Telephone: +49 (0) 9072 95 00-0

E-mail (Contact person): info@ksl-staubtechnik.de Internet: www.ksl-staubtechnik.de

1.4. Emergency telephone

+49 (0) 9072 / 95 00-0 (Availability: Mon-Thu 08:00-16:00, Fri 08:00-12:00)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

STOT RE 1; H372

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Quartz powder

Signal word: Danger

Pictograms:



Hazard statements

H372 Causes damage to organs (lung) through prolonged or repeated exposure if inhaled.

Precautionary statements

P260 Do not breathe dust or mist.

P284 In case of inadequate ventilation wear respiratory protection.

P501 Dispose of contents/container to proper disposal in accordance with local regulations .

2.3. Other hazards

The product does not meet the criteria for PBT and vPvB substances according to Annex XIII of the REACH Regulation 1907/2006/EC.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients



according to Regulation (EC) No 1907/2006

Arizona dust according to SAE J726 fine

Revision: 10/31/2025 Product code: KSL0011 Page 2 of 9

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
14808-60-7	Quartz powder			69%
	238-878-4			
	STOT RE 1; H372			
1344-28-1	Aluminium oxide - corundum			18%
	215-691-6			
16389-88-1	Dolomite - calcium magnesium carbonate			7%
	240-440-2			
1309-37-1	Iron oxide red			6%
	215-168-2			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
1344-28-1	215-691-6	Aluminium oxide - corundum	18%
	oral: LD50 = >5000 mg/kg		
1309-37-1	215-168-2	Iron oxide red	6%
	oral: LD50 = >5000 mg/kg		

Further Information

This product contains more than 10% respirable silica, which is classified as STOT RE1.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

If symptoms persist, it is advisable to consult a doctor. Tell the doctor what substance/product was involved and what measures were taken.

After inhalation

Provide fresh air. Dust from the throat and nose should be removed quickly. If symptoms such as discomfort, coughing or persistent irritation occur, consult a doctor. Inhalation should generally be avoided.

After contact with skin

Wash off with soap and water.

After contact with eyes

If necessary, remove the contact lens and rinse the eye under running water with the eyelid open to remove all particles. If possible, use isotonic eye solution (0.9% NaCl). Do not rub the eye dry, as additional corneal damage is possible due to the mechanical stress.

After ingestion

Rinse mouth thoroughly with water.

4.2. Most important symptoms and effects, both acute and delayed

Repeated inhalation of larger quantities over a longer period of time increases the risk of lung diseases (silicosis). The main symptoms of silicosis are coughing and breathing problems / shortness of breath. Dust can cause irritation to the eyes and respiratory tract (due to foreign bodies).

4.3. Indication of any immediate medical attention and special treatment needed

No special measures are known.



according to Regulation (EC) No 1907/2006

Arizona dust according to SAE J726 fine

Revision: 10/31/2025 Product code: KSL0011 Page 3 of 9

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

none

5.2. Special hazards arising from the substance or mixture

none Non-flammable.

5.3. Advice for firefighters

none

Additional information

No measures are necessary as the mixture is non-flammable.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid dust formation. Wear protective clothing as described in Section 8. Follow the instructions for safe handling as described in Section 7.

For emergency responders

Emergency plans are not required. However, respiratory protection is necessary in case of high dust exposure.

6.2. Environmental precautions

No special environmental measures are necessary.

6.3. Methods and material for containment and cleaning up

For containment

Avoid generating dust.

For cleaning up

Avoid inhalation. Avoid dry sweeping. Use approved spray and suction systems for cleaning. Use personal protection equipment.

Other information

Blowing off for cleaning purposes is not permitted.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid dust formation and accumulation. Handle packaged products carefully to prevent the packaging from bursting. Areas where dust is generated must be equipped with suitable ventilation systems. If the workplace atmosphere is not sufficiently dedusted, wear suitable respiratory protection (in accordance with EN 143). Gloves according to EN 374 are recommended.

Advice on protection against fire and explosion

No special measures are necessary.

Advice on general occupational hygiene

When using do not eat, drink or smoke. Wash hands before breaks and after work. Wear a dust mask and safety goggles in dusty atmospheres.

Further information on handling

Only sweep with a suitable broom. For cleaning, use suitable methods such as vacuum suction that are as dry as



according to Regulation (EC) No 1907/2006

Arizona dust according to SAE J726 fine

Revision: 10/31/2025 Product code: KSL0011 Page 4 of 9

possible and do not cause dust to form.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

No special measures are necessary.

Hints on joint storage

Keep away from food and beverages.

Further information on storage conditions

Store in a dry place, tightly sealed, preferably in the original container.

7.3. Specific end use(s)

Test dust Use appropriately and sparingly with suitable test equipment depending on the intended use. No additional information is available for the specific end uses (see section 1.2).

Further information can be found in the guide to good practice on protecting workers' health through good handling and use of crystalline silica and products containing it (see section 16).

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls

Appropriate engineering controls

Avoid dust formation. Use of closed processes and local extraction equipment to keep the dust concentration below the permissible exposure level. Use a ventilation system if there is a high proportion of dust in the air. If dust formation cannot be avoided, the dust content of the air must be kept below the exposure limit values by ventilation. Application of organisational measures, e.g. by keeping people away from dusty areas.

Recommended measurement methods for workplace measurements: See publication series of the Employer's Liability Insurance Association.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear closed safety goggles in accordance with EN 166 if dust is generated.

Hand protection

People who suffer from dermatitis or have particularly sensitive skin should take suitable protective measures (e.g. wear gloves or use protective cream). Wash hands before breaks and after work. Gloves according to EN 374 are recommended.

Skin protection

Work clothes with long sleeves and trouser legs. Closed work shoes.

Hygiene measures: Do not eat, drink or smoke at work. Wash hands and shower if necessary before breaks and at the end of work. Avoid contact with eyes and skin. After work, workers should wash or shower and use skin care products. Clean contaminated clothing, shoes, watches, etc. before reuse.

Respiratory protection

Install effective extraction and / or ventilate sufficiently. If the permissible exposure limit values are exceeded at the workplace, a respirator mask must be worn that complies with the applicable EU or national regulations (e.g. particle filter P2 or P3 in accordance with EN 143).

Environmental exposure controls

See also sections 6 and 7.

Air: Avoid drifting due to wind. Compliance with the dust emission limit values in accordance with the Technical Instructions on Air Quality Control.

Water: Waste water and groundwater supply must be observed.

Soil: Compliance with the Federal Soil Protection Ordinance. No special control measures required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid



according to Regulation (EC) No 1907/2006

Arizona dust according to SAE J726 fine

Revision: 10/31/2025 Product code: KSL0011 Page 5 of 9

Colour: reddish
Odour: odourless

Melting point/freezing point: At 1500°C, 80% of the mixture

components melt. °C

Boiling point or initial boiling point and not applicable

boiling range:

Flammability: not applicable Lower explosion limits: not applicable Upper explosion limits: not applicable Flash point: not applicable not applicable Auto-ignition temperature: Decomposition temperature: not applicable pH-Value: not applicable not applicable Viscosity / kinematic: Water solubility: negligible

Solubility in other solvents

Decomposition temperature > 750° C (applies to the component calcium magnesium carbonate)

Partition coefficient n-octanol/water:

Vapour pressure:

Not applicable

vapour pressure:

Not applicable

not applicable

not applicable

not applicable

not specified

Relative density:

Relative vapour density:

Particle characteristics:

Not applicable

x50 value: 4µm - 8µm

9.2. Other information

Information with regard to physical hazard classes

Explosive properties not applicable Oxidizing properties not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

Inert product. Non-reactive.

10.2. Chemical stability

The mixture is stable.

10.3. Possibility of hazardous reactions

none

10.4. Conditions to avoid

Moisture and water during storage can lead to clumping and loss of product quality.

10.5. Incompatible materials

Calcium magnesium carbonate reacts with acid to form calcium and magnesium salts and CO2.

10.6. Hazardous decomposition products

None when used as intended. Above 750°C or when reacting with acids, calcium magnesium carbonate decomposes to form CO2 (gaseous).



according to Regulation (EC) No 1907/2006

Arizona dust according to SAE J726 fine

Revision: 10/31/2025 Product code: KSL0011 Page 6 of 9

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1344-28-1	Aluminium oxide - corundum				
	oral	LD50 >5000 mg/kg	Rat		
1309-37-1	Iron oxide red				
	oral	LD50 >5000 mg/kg	Rat		

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure. (Quartz powder) May cause silicosis, a dust lung disease, through repeated exposure.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Irritation of the eyes or respiratory tract due to foreign bodies is possible.

Practical experience

Chronic effects with prolonged exposure:

This product is contaminated with more than 10% respirable quartz and is therefore classified as STOT RE1 according to the criteria defined in Regulation (EC) No 1272/2008. Prolonged and/or intense exposure to dust containing respirable crystalline silica may cause silicosis. This disease is a nodular pulmonary fibrosis caused by inhalation and deposition of mineral dust. In 1997, the International Agency for Research on Cancer (IARC) concluded that occupational exposure to crystalline silica can cause lung cancer in humans. However, the IARC qualified that this does not apply to all forms of exposure or all types of crystalline silica. (IARC Monographs on the Evaluation of Carcinogenic Risks to Humans from Chemicals, Silica, Siliceous Dusts and Organic Fibres, 1997, Volume 68, IARC, Lyon, France). In 2003, the EU Scientific Committee on Occupational Exposure Limits to Chemical Agents (SCOEL) concluded that the main effect of inhalation of respirable crystalline silica dust in humans is silicosis. "There is sufficient information to conclude that there is an increased relative risk of lung cancer for people suffering from silicosis. People working in guarries or in the ceramics industry who are exposed to silica dust but do not suffer from silicosis are obviously not affected by this increased risk of lung cancer. It can therefore be assumed that avoiding silicosis also reduces the risk of cancer..." (SCOEL SUM Doc 1994-final, June 2003). There is therefore ample evidence that an increased risk of lung cancer is limited to people who already have silicosis. The protection of workers from silicosis should be ensured by adhering to the occupational exposure limits set by the authorities and, if necessary, by implementing additional risk management measures (see section 16).

11.2. Information on other hazards



according to Regulation (EC) No 1907/2006

Arizona dust according to SAE J726 fine

Revision: 10/31/2025 Product code: KSL0011 Page 7 of 9

Endocrine disrupting properties

There are no known endocrine-disrupting properties or other harmful effects.

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

No data available as no data is available from the raw material supplier.

12.3. Bioaccumulative potential

No data available as no data is available from the raw material supplier.

12.4. Mobility in soil

No data available as no data is available from the raw material supplier.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No specific harmful effects known.

Further information

No ecotoxicological data is available for this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Pick up the product dry. Avoid dust formation.

Can be disposed of in accordance with local authority regulations. If necessary, coordinate disposal with the local authorities.

Recommendation Discuss the exact waste code with the waste disposal company.

Waste code according to the Waste Catalogue Regulation (AVV) 010410 - dusty and powdery waste 150106 - mixed packaging according to material recycling

Contaminated packaging

The formation of dust as a result of residues in the packaging should be avoided. Store contaminated packaging materials in closed containers. Recycling and disposal of packaging material must be carried out in accordance with local regulations and should be performed by a certified waste disposal company. Do not reuse packaging material.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:
 14.2. UN proper shipping name:
 14.3. Transport hazard class(es):
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

Arizona dust according to SAE J726 fine

Revision: 10/31/2025 Product code: KSL0011 Page 8 of 9

14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:
 14.2. UN proper shipping name:
 14.3. Transport hazard class(es):
 14.4. Packing group:
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:
 14.2. UN proper shipping name:
 14.3. Transport hazard class(es):
 14.4. Packing group:
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Downstream user conditions or monitoring arrangements:

The product is not subject to the registration requirements of EC Regulation 1907/2006 (REACH).

Information according to Directive

2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): -- non-hazardous to water

Additional information

TRGS 500 TRGS 510 TRGS 559 TRGS 900 TRGS 906

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

STOT RE 1: Specific target organ toxicity - repeated exposure, hazard category 1

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

EC/EEC: European Community/European Economic Community

EU: European Union

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50%



according to Regulation (EC) No 1907/2006

Arizona dust according to SAE J726 fine

Revision: 10/31/2025 Product code: KSL0011 Page 9 of 9

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

M-factor: Multiplying factor

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association DGR: Dangerous Goods Regulations

ICAO: International Civil Aviation Organization

TI: Technical Instructions

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Key literature references and sources for data

We refer to information provided by raw material suppliers/manufacturers and the ECHA database on classification and labelling as sources for the most important data and technical information.

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

	• • • • • • • • • • • • • • • • • • • •
Classification	Classification procedure
STOT RE 1; H372	Calculation method

Relevant H and EUH statements (number and full text)

H372 Causes damage to organs (lung) through prolonged or repeated exposure if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure.

Further Information

The information in this safety data sheet describes the safety requirements of our product and is based on our current state of knowledge. It does not constitute a guarantee of product properties and does not establish a contractual legal relationship. This safety data sheet is intended solely as a source of information for the user. It has been compiled with the utmost care; however, no guarantee can be given for the accuracy of the data, nor can any liability be accepted for the consequences of printing, typesetting or transmission errors. Existing laws, regulations and rules, including those not mentioned in this data sheet, must be observed by the recipient of our products on their own responsibility.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)