

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision: 11/11/2025

Red China Clay acc. MIL-STD-810

Product code: KSL0013

Page 1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Red China Clay acc. MIL-STD-810

UFI: 1G10-S0GT-C000-2E5R

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Test dust

### 1.3. Details of the supplier of the safety data sheet

Company name:	KSL staubtechnik gmbh		
Street:	Westendstraße 11		
Place:	D-89415 Lauingen		
Telephone:	+49 (0) 9072 95 00-0	Telefax:	+49 (0) 9072 95 00-50
E-mail:	info@ksl-staubtechnik.de		
Contact person:	Dr. R. Stadler	Telephone:	+49 (0) 9072 95 00-0
E-mail (Contact person):	info@ksl-staubtechnik.de		
Internet:	www.ksl-staubtechnik.de		

### 1.4. Emergency telephone number:

+49 (0) 9072 / 95 00-0 (Availability: Mon-Thu 08:00-16:00, Fri 08:00-12:00)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

STOT RE 2; H373

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

Regulation (EC) No 1272/2008

#### Hazard components for labelling

Quartz powder

Signal word: Warning

Pictograms:



#### Hazard statements

H373 May cause damage to organs (lung) through prolonged or repeated exposure if inhaled.

#### Precautionary statements

P260	Do not breathe dust/mist.
P284	In case of inadequate ventilation wear respiratory protection.
P501	Dispose of contents/container to an appropriate recycling or disposal facility.

### 2.3. Other hazards

The product is an inorganic substance, does not fulfil the criteria for PBT and vPvB substances according to Annex XIII of REACH Regulation 1907/2006/EC.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Relevant ingredients

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Red China Clay acc. MIL-STD-810**

Revision: 11/11/2025

Product code: KSL0013

Page 2 of 9

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
14808-60-7	Quartz powder			74%
	238-878-4			
	STOT RE 2; H373			
1344-28-1	Aluminium oxide - corundum			16%
	215-691-6			
16389-88-1	Dolomite - calcium magnesium carbonate			7%
	240-440-2			
1309-37-1	Iron oxide red			3%
	215-168-2			

Full text of H and EUH statements: see section 16.

**Further Information**

This product contains between 1 and 10% respirable quartz and is therefore classified as STOT RE2.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

If symptoms persist, it is advisable to consult a doctor. Tell the doctor what substance/product was involved and what measures were taken.

**After inhalation**

Provide fresh air. Dust from the throat and nose should be removed quickly. If symptoms such as discomfort, coughing or persistent irritation occur, consult a doctor. Inhalation should generally be avoided.

**After contact with skin**

Wash off with soap and water.

**After contact with eyes**

If necessary, remove the contact lens and rinse the eye under running water with the eyelid open to remove all particles. If possible, use isotonic eye solution (0.9% NaCl). Do not rub the eye dry, as additional corneal damage is possible due to the mechanical stress.

**After ingestion**

Rinse mouth thoroughly with water.

**4.2. Most important symptoms and effects, both acute and delayed**

Repeated inhalation of larger quantities over a longer period of time increases the risk of lung diseases (silicosis). The main symptoms of silicosis are coughing and breathing problems / shortness of breath. Dust can cause irritation to the eyes and respiratory tract (due to foreign bodies).

**4.3. Indication of any immediate medical attention and special treatment needed**

No special measures are known.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

none

**5.2. Special hazards arising from the substance or mixture**

none Non-flammable.

**5.3. Advice for firefighters**

none

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision: 11/11/2025

Red China Clay acc. MIL-STD-810

Product code: KSL0013

Page 3 of 9

## Additional information

No measures are necessary as the mixture is non-flammable.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Avoid dust formation. Wear protective clothing as described in Section 8. Follow the instructions for safe handling as described in Section 7.

#### For emergency responders

Emergency plans are not required. However, respiratory protection is necessary in case of high dust exposure.

### 6.2. Environmental precautions

No special environmental measures are necessary.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Avoid generating dust.

#### For cleaning up

Avoid inhalation. Avoid dry sweeping. Use approved spray and suction systems for cleaning. Use personal protection equipment.

#### Other information

Blowing off for cleaning purposes is not permitted.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid dust formation and accumulation. Handle packaged products carefully to prevent the packaging from bursting. Areas where dust is generated must be equipped with suitable ventilation systems. If the workplace atmosphere is not sufficiently dedusted, wear suitable respiratory protection (in accordance with EN 143). Gloves according to EN 374 are recommended.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

When using do not eat, drink, smoke, sniff. Wash hands after use/contact. Wear a dust mask and safety goggles in dusty atmospheres.

#### Further information on handling

Only sweep with a suitable broom. For cleaning, use suitable methods such as vacuum suction that are as dry as possible and do not cause dust to form.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

No special measures are necessary.

#### Hints on joint storage

Keep away from food and beverages.

#### Further information on storage conditions

Store in a dry place, tightly sealed, preferably in the original container.

### 7.3. Specific end use(s)

Use appropriately and sparingly with suitable test equipment depending on the intended use. No additional information is available for the specific end uses (see section 1.2). Further information can be found in the guide

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Red China Clay acc. MIL-STD-810**

Revision: 11/11/2025

Product code: KSL0013

Page 4 of 9

to good practice on protecting workers' health through good handling and use of crystalline silica and products containing it (see section 16).

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Additional advice on limit values

To date, no national critical limit values exist.

#### 8.2. Exposure controls

##### Appropriate engineering controls

Avoid dust formation. Use of closed processes and local extraction equipment to keep the dust concentration below the permissible exposure level. Use a ventilation system if there is a high proportion of dust in the air. If dust formation cannot be avoided, the dust content of the air must be kept below the exposure limit values by ventilation. Application of organisational measures, e.g. by keeping people away from dusty areas.

Recommended measurement methods for workplace measurements: See publication series of the Employer's Liability Insurance Association.

##### Individual protection measures, such as personal protective equipment

###### Eye/face protection

Wear closed safety goggles in accordance with EN 166 if dust is generated.

###### Hand protection

People who suffer from dermatitis or have particularly sensitive skin should take suitable protective measures (e.g. wear gloves or use protective cream). Wash hands before breaks and after work. Gloves according to EN 374 are recommended.

###### Skin protection

No personal protective equipment is necessary when used as intended. Handle the product in accordance with the safety instructions.

Hygiene measures: Do not eat, drink or smoke at work. Wash hands and shower if necessary before breaks and at the end of work. Avoid contact with eyes and skin. After work, workers should wash or shower and use skin care products. Clean contaminated clothing, shoes, watches, etc. before reuse.

###### Respiratory protection

Install effective extraction and / or ventilate sufficiently. If the permissible exposure limit values are exceeded at the workplace, a respirator mask must be worn that complies with the applicable EU or national regulations (e.g. particle filter P2 or P3 in accordance with EN 143).

###### Environmental exposure controls

Air: Avoid drifting due to wind. Compliance with the dust emission limit values in accordance with the Technical Instructions on Air Quality Control.

Water: Waste water and groundwater supply must be observed.

Soil: Compliance with the Federal Soil Protection Ordinance. No special control measures required.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	solid
Colour:	red brown
Odour:	odourless
Odour threshold:	not applicable
Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	not applicable
Flammability:	not applicable
Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Flash point:	not applicable
Auto-ignition temperature:	not determined

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Red China Clay acc. MIL-STD-810**

Revision: 11/11/2025

Product code: KSL0013

Page 5 of 9

Decomposition temperature:	not applicable
pH-Value (at 20 °C):	ca. 5-9 (100g/l)
Viscosity / kinematic:	not applicable
Water solubility:	negligible
Solubility in other solvents	
not determined	
Partition coefficient n-octanol/water:	not applicable
Vapour pressure:	not applicable
Density:	not determined
Relative density:	not applicable
Relative vapour density:	not applicable
Particle characteristics:	X50 value: 15µm - 25µm

**9.2. Other information****Information with regard to physical hazard classes****Explosive properties**

The product is not: Explosive

**Self-ignition temperature**

Solid: not applicable

**Oxidizing properties**

Not applicable, mixture has no fire-promoting properties.

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

**10.2. Chemical stability**

The mixture is stable.

**10.3. Possibility of hazardous reactions**

none

**10.4. Conditions to avoid**

Moisture and water during storage can lead to clumping and loss of product quality.

**10.5. Incompatible materials**

Acids

Calcium magnesium carbonate reacts with acid to form calcium and magnesium salts and CO<sub>2</sub>.**10.6. Hazardous decomposition products**Above 750°C or when reacting with acids, calcium magnesium carbonate decomposes to form CO<sub>2</sub> (gaseous).  
CaMg(CO<sub>3</sub>)<sub>2</sub>**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) &gt; 2000 mg/kg; ATE (dermal) &gt; 2000 mg/kg; ATE (inhalation dust/mist) &gt; 5 mg/l

**Irritation and corrosivity**

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sensitising effects**

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Red China Clay acc. MIL-STD-810**

Revision: 11/11/2025

Product code: KSL0013

Page 6 of 9

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

May cause damage to organs through prolonged or repeated exposure. (Quartz powder)

May cause silicosis, a dust lung disease, through repeated exposure.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

Dust can cause irritation to the eyes and respiratory tract (due to foreign bodies).

**Practical experience**

This product is contaminated with between 1 and 10% respirable quartz and is therefore classified as STOT RE2 according to the criteria defined in Regulation (EC) No. 1272/2008.

Prolonged and/or intense exposure to dust containing respirable crystalline silica can cause silicosis. This disease is a nodular pulmonary fibrosis caused by inhalation and deposition of mineral dust.

In 1997, the International Agency for Research on Cancer (IARC) concluded that occupational exposure to crystalline silica can cause lung cancer in humans. However, the IARC added the caveat that this does not apply to all forms of exposure or all types of crystalline silica. (IARC Monographs on the Evaluation of Cancer Risks to Humans from Chemicals, Silica, Silica Dusts and Organic Fibres, 1997, Volume 68, IARC, Lyon, France.) In 2003, the EU Scientific Committee on Occupational Exposure Limits to Chemical Agents (SCOEL) concluded that the most important effect of inhaling alveolar crystalline silica dust in humans is silicosis. "There is sufficient information to conclude that there is an increased relative risk of lung cancer for people who have silicosis. People working in quarries or in the ceramics industry who are exposed to silica dust but do not have silicosis do not appear to be affected by this increased risk of lung cancer. It can therefore be assumed that preventing silicosis also reduces the risk of cancer..." (SCOEL SUM Doc 1994-final, June 2003). There is therefore considerable evidence that an increased risk of lung cancer is limited to people who already have silicosis. The protection of workers from silicosis should be ensured by complying with officially established occupational exposure limits and, if necessary, by implementing additional risk management measures (see Section 16).

**11.2. Information on other hazards****Endocrine disrupting properties**

There are no known endocrine-disrupting properties or other harmful effects.

**Other information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

**SECTION 12: Ecological information****12.1. Toxicity**

Based on available data, the classification criteria are not met.

**12.2. Persistence and degradability**

Quartz is not biodegradable.

**12.3. Bioaccumulative potential**

The product has not been tested.

**12.4. Mobility in soil**

The product has not been tested.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

**12.6. Endocrine disrupting properties**

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision: 11/11/2025

Red China Clay acc. MIL-STD-810

Product code: KSL0013

Page 7 of 9

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Can be disposed of in accordance with local authority regulations. Discuss the exact waste code with the waste disposal company. Pick up the product dry. Avoid dust formation.

#### Contaminated packaging

010410 - dusty and powdery waste

150106 - mixed packaging according to material recycling

## SECTION 14: Transport information

### Land transport (ADR/RID)

#### 14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

#### 14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

#### 14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

#### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

### Inland waterways transport (ADN)

#### 14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

#### 14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

#### 14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

#### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

### Marine transport (IMDG)

#### 14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

#### 14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

#### 14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

#### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

### Air transport (ICAO-TI/IATA-DGR)

#### 14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

#### 14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

#### 14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

#### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Downstream user conditions or monitoring arrangements:

The product is not subject to the registration requirements of EC Regulation 1907/2006 (REACH).

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Red China Clay acc. MIL-STD-810**

Revision: 11/11/2025

Product code: KSL0013

Page 8 of 9

2012/18/EU (SEVESO III):

**National regulatory information**

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

- - non-hazardous to water

**Additional information**

TRGS 500 TRGS 559 TRGS 900 TRGS 906 Regulation on occupational health care (ArbMedVV) BG principles for occupational health check-ups

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Abbreviations and acronyms**

STOT RE 2: Specific target organ toxicity - repeated exposure, hazard category 2

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

EC/EEC: European Community/European Economic Community

EU: European Union

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

M-factor: Multiplying factor

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

IATA: International Air Transport Association

DGR: Dangerous Goods Regulations

ICAO: International Civil Aviation Organization

TI: Technical Instructions

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

**Key literature references and sources for data**



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Red China Clay acc. MIL-STD-810**

Revision: 11/11/2025

Product code: KSL0013

Page 9 of 9

We refer to information provided by raw material suppliers/manufacturers and the ECHA database on classification and labelling as sources for the most important data and technical information.

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
STOT RE 2; H373	Calculation method

**Relevant H and EUH statements (number and full text)**

- H373 May cause damage to organs (lung) through prolonged or repeated exposure if inhaled.  
H373 May cause damage to organs through prolonged or repeated exposure.

**Further Information**

The information in this safety data sheet describes the safety requirements of our product and is based on our current state of knowledge. It does not constitute a guarantee of product properties and does not establish a contractual legal relationship. This safety data sheet is intended solely as a source of information for the user. It has been compiled with the utmost care; however, no guarantee can be given for the accuracy of the data, nor can any liability be accepted for the consequences of printing, typesetting or transmission errors. Existing laws, regulations and rules, including those not mentioned in this data sheet, must be observed by the recipient of our products on their own responsibility.

---

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*