

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KSL 11046

Revision: 2/20/2026

Product code: KSL0024

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

KSL 11046

UFI: J600-604U-R00K-59ES

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Test dust

1.3. Details of the supplier of the safety data sheet

Company name:	KSL staubtechnik gmbh	
Street:	Westendstraße 11	
Place:	D-89415 Lauingen	
Telephone:	+49 (0) 9072 95 00-0	Telefax: +49 (0) 9072 95 00-50
E-mail:	info@ksl-staubtechnik.de	
Contact person:	Dr. R. Stadler	Telephone: +49 (0) 9072 95 00-0
E-mail (Contact person):	info@ksl-staubtechnik.de	
Internet:	www.ksl-staubtechnik.de	

1.4. Emergency telephone number:

+49 (0) 9072 / 95 00-0 (Availability: Mon-Thu 08:00-16:00, Fri 08:00-12:00)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Eye Irrit. 2 H319
STOT RE 2 H373

Full text of hazard statements: see SECTION 16.

May cause lung damage through prolonged or repeated exposure by inhalation.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Quartz powder

Signal word: Warning

Pictograms:



Hazard statements

H319 Causes serious eye irritation.

H373 May cause damage to organs (lung) through prolonged or repeated exposure if inhaled.

Precautionary statements

P260 Do not breathe dust.

P264 Wash the skin thoroughly after handling.

P280 Wear protective gloves/protective clothing and eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/attention.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KSL 11046

Revision: 2/20/2026

Product code: KSL0024

Page 2 of 12

Precautionary statements

P501 Dispose of contents/container to an appropriate recycling or disposal facility.

2.3. Other hazards

Mild irritant to the skin.

Harmful to aquatic life.

When used as intended, no adverse health effects are known or expected.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
14808-60-7	Quartz powder			~28 %
	238-878-4			
	STOT RE 2 H373			
7647-14-5	sodium chloride			20-30 %
	204-673-3			
9005-25-8	starch			10-20 %
	232-679-6			
124-04-9	adipic acid			10 %
	204-673-3	607-144-00-9		
	Eye Irrit. 2 H319			
1344-28-1	Aluminium oxide - corundum			< 7,5 %
	215-691-6			
84082-60-0	Chamomile flowers, crushed			4 %
84650-60-2	Green tea, crushed			4 %
	283-519-7			
16389-88-1	Dolomite - calcium magnesium carbonate			< 3 %
	240-440-2			
1309-37-1	Iron oxide red			< 2,5 %
	215-168-2			
	Crickets, dried and crushed			1 %
	Water flies, dried and crushed			1 %

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7647-14-5	204-673-3	sodium chloride	20-30 %
	dermal: LD50 = >10000 mg/kg oral: LD50 = 3000 mg/kg		
124-04-9	204-673-3	adipic acid	10 %
	inhalation: LC50 = 7,7 mg/l (dusts or mists) dermal: LD50 = 5010 mg/kg oral: LD50 = 5560 mg/kg		

Further Information

This product contains between 1 and 10% respirable quartz and is therefore classified as STOT RE2.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KSL 11046

Revision: 2/20/2026

Product code: KSL0024

Page 3 of 12

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

If symptoms persist, it is advisable to consult a doctor. Tell the doctor what substance/product was involved and what measures were taken.

After inhalation

Provide fresh air. Dust from the throat and nose should be removed quickly. If symptoms such as discomfort, coughing or persistent irritation occur, consult a doctor. Inhalation should generally be avoided.

After contact with skin

Wash with plenty of water and soap. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

If necessary, remove the contact lens and rinse the eye under running water with the eyelid open to remove all particles. If possible, use isotonic eye solution (0.9% NaCl). Do not rub the eye dry, as additional corneal damage is possible due to the mechanical stress. Consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Spit out the liquid. Do NOT induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Repeated inhalation of larger quantities over a longer period of time increases the risk of lung diseases (silicosis). The main symptoms of silicosis are coughing and breathing problems / shortness of breath. Dust can cause irritation to the eyes and respiratory tract (due to foreign bodies).

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

none

5.2. Special hazards arising from the substance or mixture

none , Non-flammable.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

Additional information

No measures are necessary as the mixture is non-flammable.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid dust formation.

For non-emergency personnel

Wear protective clothing as described in Section 8. Follow the instructions for safe handling as described in Section 7.

For emergency responders

Emergency plans are not required. However, respiratory protection is necessary in case of high dust exposure.

6.2. Environmental precautions

Do not discharge aqueous suspensions directly into waterways. Do not allow to enter waterways, soil or sewage systems.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KSL 11046

Revision: 2/20/2026

Product code: KSL0024

Page 4 of 12

6.3. Methods and material for containment and cleaning up

For containment

Avoid generating dust.

For cleaning up

Inhalation should generally be avoided. Avoid dry sweeping. Use approved spray and suction systems for cleaning. Use personal protection equipment.

Other information

Blowing off for cleaning purposes is not permitted.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid dust formation and accumulation. Handle packaged products carefully to prevent the packaging from bursting. Areas where dust is generated must be equipped with suitable ventilation systems. If the workplace atmosphere is not sufficiently dedusted, wear suitable respiratory protection (in accordance with EN 143). Gloves according to EN 374 are recommended.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

Further information on handling

Only sweep with a suitable broom. For cleaning, use suitable methods such as vacuum suction that are as dry as possible and do not cause dust to form.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a dry place, tightly sealed, preferably in the original container.

Hints on joint storage

Keep away from food and beverages.

Further information on storage conditions

No special measures are necessary.

7.3. Specific end use(s)

Use appropriately and sparingly with suitable test equipment depending on the intended use. No additional information is available for the specific end uses (see section 1.2). Further information can be found in the guide to good practice on protecting workers' health through good handling and use of crystalline silica and products containing it (see section 16).

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Name of agent	Exposure route	Effect	Value
124-04-9	adipic acid			
Worker DNEL, long-term		inhalation	systemic	264 mg/m ³
Worker DNEL, acute		inhalation	systemic	264 mg/m ³

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KSL 11046

Revision: 2/20/2026

Product code: KSL0024

Page 5 of 12

DNEL/DMEL values

CAS No	Name of agent	Exposure route	Effect	Value
	DNEL type			
	Worker DNEL, long-term	inhalation	local	5 mg/m ³
	Worker DNEL, acute	inhalation	local	5 mg/m ³
	Worker DNEL, long-term	dermal	systemic	38 mg/kg bw/day
	Worker DNEL, acute	dermal	systemic	38 mg/kg bw/day
	Consumer DNEL, long-term	inhalation	systemic	65 mg/m ³
	Consumer DNEL, acute	inhalation	systemic	65 mg/m ³
	Consumer DNEL, long-term	dermal	systemic	19 mg/kg bw/day
	Consumer DNEL, acute	dermal	systemic	19 mg/kg bw/day
	Consumer DNEL, long-term	oral	systemic	19 mg/kg bw/day
	Consumer DNEL, acute	oral	systemic	19 mg/kg bw/day

PNEC values

CAS No	Name of agent	Value
	Environmental compartment	
124-04-9	adipic acid	
	Freshwater	0,126 mg/l
	Marine water	0,0126 mg/l
	Freshwater sediment	0,484 mg/kg
	Marine sediment	0,0484 mg/kg
	Micro-organisms in sewage treatment plants (STP)	59,1 mg/l
	Soil	0,0228 mg/kg

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls

Appropriate engineering controls

A combination of technical and individual protective measures is often necessary to comply with occupational exposure limits. Recommended measurement methods for workplace measurements: See the series of publications by the employers' liability insurance association. Technical control measures and individual protective measures are recommended for the identified uses (section 1.2). Technical measures and the application of suitable working methods take precedence over the use of personal protective equipment.

Avoid dust formation. Use of closed processes and local extraction equipment to keep the dust concentration below the permissible exposure level. Use a ventilation system if there is a high proportion of dust in the air. If dust formation cannot be avoided, the dust content of the air must be kept below the exposure limit values by ventilation. Application of organisational measures, e.g. by keeping people away from dusty areas.

Recommended measurement methods for workplace measurements: See publication series of the Employer's Liability Insurance Association.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear closed safety goggles in accordance with EN 166 if dust is generated.

Hand protection

Gloves according to EN 374 are recommended. Work clothes with long sleeves and trouser legs. Closed work shoes.

Skin protection

No personal protective equipment is necessary when used as intended. Handle the product in accordance with the safety instructions.

Respiratory protection

Install effective extraction and / or ventilate sufficiently. If the permissible exposure limit values are exceeded at the workplace, a respirator mask must be worn that complies with the applicable EU or national regulations (e.g. particle filter P2 or P3 in accordance with EN 143).

Thermal hazards

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KSL 11046

Revision: 2/20/2026

Product code: KSL0024

Page 6 of 12

Hygiene measures: Do not eat, drink or smoke at work. Wash hands and shower if necessary before breaks and at the end of work. Avoid contact with eyes and skin. After work, workers should wash or shower and use skin care products. Clean contaminated clothing, shoes, watches, etc. before reuse.

Environmental exposure controls

See also sections 6 and 7.

Air: Avoid drifting due to wind. Compliance with the dust emission limit values in accordance with the Technical Instructions on Air Quality Control.

Water: Waste water and groundwater supply must be observed.

Soil: Compliance with the Federal Soil Protection Ordinance. No special control measures required.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	solid
Colour:	red brown
Odour:	odourless
Odour threshold:	not applicable
Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	not applicable
Flammability:	not applicable
Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Flash point:	not applicable
Auto-ignition temperature:	not applicable
Decomposition temperature:	not determined
pH-Value:	not determined
Viscosity / kinematic:	not applicable
Water solubility:	partially soluble in water
Solubility in other solvents	not determined
Partition coefficient n-octanol/water:	not applicable
Vapour pressure:	not applicable
Vapour pressure:	not applicable
Density:	no information
Relative density:	no information
Relative vapour density:	no information
Particle characteristics:	X50 value: 10µm - 50µm

9.2. Other information**Information with regard to physical hazard classes**

Explosive properties

The product is not: Explosive.

Oxidizing properties

not applicable

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

Inert product. Non-reactive.

10.2. Chemical stability

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KSL 11046

Revision: 2/20/2026

Product code: KSL0024

Page 7 of 12

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No hazard under normal storage conditions.

10.4. Conditions to avoid

Moisture and water during storage can lead to clumping and loss of product quality. Temperatures > 100 °C

10.5. Incompatible materials

strong oxidising agents , strong bases , strong acids

10.6. Hazardous decomposition products

None when used as intended.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg ATE (dermal) > 2000 mg/kg ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7647-14-5	sodium chloride				
	oral	LD50 3000 mg/kg	Rat	Supplier	
	dermal	LD50 >10000 mg/kg	Rabbit	Supplier	
124-04-9	adipic acid				
	oral	LD50 5560 mg/kg	Rat	Registration Dossier according to Regulation (EC) No. 1907/2006 [REACH].	
	dermal	LD50 5010 mg/kg	Rat	Registration Dossier according to Regulation (EC) No. 1907/2006 [REACH].	
	inhalation (4 h) dust/mist	LC50 7,7 mg/l	Rat	Registration Dossier according to Regulation (EC) No. 1907/2006 [REACH].	

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (Quartz powder)

May cause silicosis, a dust lung disease, through repeated exposure.

Aspiration hazard

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KSL 11046

Revision: 2/20/2026

Product code: KSL0024

Page 8 of 12

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Irritation of the eyes or respiratory tract due to foreign bodies is possible.

Practical experience

Chronic effects with prolonged exposure:

This product is contaminated with between 1 and 10% respirable quartz and is therefore classified as STOT RE2 according to the criteria defined in Regulation (EC) No. 1272/2008.

Prolonged and/or intense exposure to dust containing respirable crystalline silica can cause silicosis. This disease is a nodular pulmonary fibrosis caused by inhalation and deposition of mineral dust.

In 1997, the International Agency for Research on Cancer (IARC) concluded that occupational exposure to crystalline silica can cause lung cancer in humans. However, the IARC added the caveat that this does not apply to all forms of exposure or all types of crystalline silica. (IARC Monographs on the Evaluation of Cancer Risks to Humans from Chemicals, Silica, Silica Dusts and Organic Fibres, 1997, Volume 68, IARC, Lyon, France.) In 2003, the EU Scientific Committee on Occupational Exposure Limits to Chemical Agents (SCOEL) concluded that the most important effect of inhaling alveolar crystalline silica dust in humans is silicosis. "There is sufficient information to conclude that there is an increased relative risk of lung cancer for people who have silicosis. People working in quarries or in the ceramics industry who are exposed to silica dust but do not have silicosis do not appear to be affected by this increased risk of lung cancer. It can therefore be assumed that preventing silicosis also reduces the risk of cancer..." (SCOEL SUM Doc 1994-final, June 2003). There is therefore considerable evidence that an increased risk of lung cancer is limited to people who already have silicosis. The protection of workers from silicosis should be ensured by complying with officially established occupational exposure limits and, if necessary, by implementing additional risk management measures (see Section 16).

11.2. Information on other hazards

Endocrine disrupting properties

There are no known endocrine-disrupting properties or other harmful effects.

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h][d]	Species	Source	Method
7647-14-5	sodium chloride					
	Acute fish toxicity	LC50 7650 mg/l	96 h	Pimephales promelas (fathead minnow)	Supplier	
	Acute crustacea toxicity	EC50 1000 mg/l	48 h	Daphnia pulex (water flea)	Supplier	

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KSL 11046

Revision: 2/20/2026

Product code: KSL0024

Page 9 of 12

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h][d]	Species	Source	Method
124-04-9	adipic acid					
	Acute fish toxicity	LC50 1000 mg/l	96 h	Danio rerio (zebrafish)	Registration Dossier according to Regulation (EC) No. 1907/2006 [REACH].	OECD 203
	Acute algae toxicity	ErC50 59 mg/l	72 h	Pseudokirchneriella subcapitata	Registration Dossier according to Regulation (EC) No. 1907/2006 [REACH].	IUCLID
	Acute crustacea toxicity	EC50 46 mg/l	48 h	Daphnia magna (Big water flea)	Registration Dossier according to Regulation (EC) No. 1907/2006 [REACH].	OECD 202
	Fish toxicity	NOEC 6,3 mg/l	21 d	Daphnia magna (Big water flea)	Registration Dossier according to Regulation (EC) No. 1907/2006 [REACH].	OECD 211
	Acute bacteria toxicity	7910 g O2/g	3 h		Registration Dossier according to Regulation (EC) No. 1907/2006 [REACH].	OECD 209

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
124-04-9	adipic acid				
	OECD 301D	83%	30	Registration Dossier according to Regulation (EC) No. 1907/2006 [REACH].	
	Readily biodegradable (according to OECD criteria).				

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
124-04-9	adipic acid	0,093

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KSL 11046

Revision: 2/20/2026

Product code: KSL0024

Page 10 of 12

BCF

CAS No	Chemical name	BCF	Species	Source
124-04-9	adipic acid	3,162	Quantitative structure-activity relationship (QSAR)	Registration Dossier according to Regulation (EC) No. 1907/2006 [REACH].

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.
The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Pick up the product dry. Avoid dust formation.

Can be disposed of in accordance with local authority regulations. If necessary, coordinate disposal with the local authorities.

Discuss the exact waste code with the waste disposal company.

Contaminated packaging

010410 - dusty and powdery waste

150106 - mixed packaging according to material recycling

Store contaminated packaging materials in closed containers.

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)**14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Marine transport (IMDG)**14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)**14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KSL 11046

Revision: 2/20/2026

Product code: KSL0024

Page 11 of 12

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Directive 2010/75/EU on industrial emissions: 10 %

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

Additional information

TRGS 500 , TRGS 510 , TRGS 559 , TRGS 900 , TRGS 906 , Technische Anleitung zur Reinhaltung der Luft (TA-Luft) , Regulation on occupational health care (ArbMedVV) , BG principles for occupational health check-ups

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Eye Irrit. 2: Eye irritation, hazard category 2

STOT RE 2: Specific target organ toxicity - repeated exposure, hazard category 2

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

EC/EEC: European Community/European Economic Community

EU: European Union

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KSL 11046

Revision: 2/20/2026

Product code: KSL0024

Page 12 of 12

BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
M-factor: Multiplying factor
ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
IMDG: International Maritime Code for Dangerous Goods
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
IATA: International Air Transport Association
DGR: Dangerous Goods Regulations
ICAO: International Civil Aviation Organization
TI: Technical Instructions
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
VOC: volatile organic compound
SVHC: Substance of Very High Concern
For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Key literature references and sources for data

We refer to information provided by raw material suppliers/manufacturers and the ECHA database on classification and labelling as sources for the most important data and technical information.

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Eye Irrit. 2 H319	Calculation method
STOT RE 2 H373	Calculation method

Relevant H and EUH statements (number and full text)

H319 Causes serious eye irritation.
H373 May cause damage to organs (lung) through prolonged or repeated exposure if inhaled.
H373 May cause damage to organs through prolonged or repeated exposure.

Further Information

The information in this safety data sheet describes the safety requirements of our product and is based on our current state of knowledge. It does not constitute a guarantee of product properties and does not establish a contractual legal relationship. This safety data sheet is intended solely as a source of information for the user. It has been compiled with the utmost care however, no guarantee can be given for the accuracy of the data, nor can any liability be accepted for the consequences of printing, typesetting or transmission errors. Existing laws, regulations and rules, including those not mentioned in this data sheet, must be observed by the recipient of our products on their own responsibility.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)