

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision: 3/6/2026 **esplas N60 Axx, N150 Axx** Product code: KSL0026 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

esplas N60 Axx, N150 Axx

Further trade names

esplas N60 A10, A30, A50
esplas N150 A10, A30, A50

UFI: 4N10-S0VK-Y000-D3AV

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Separation and test dust
Industrial plastic granulate as a powdered release agent (e.g. for storing flat glass) which is washed off before the products are reused. (Further possible use: industrial plastic granulate for mechanical deburring in closed systems.) Use exclusively in closed industrial processes. Intentional release into the environment is not permitted (see REACH Annex XVII, entry 78, paragraph 4(a)).

Uses advised against

Use outside closed systems. Applications with potential release into the environment.

1.3. Details of the supplier of the safety data sheet

Company name: KSL staubtechnik gmbh
Street: Westendstraße 11
Place: D-89415 Lauingen
Telephone: +49 (0) 9072 95 00-0 Telefax: +49 (0) 9072 95 00-50
E-mail: info@ksl-staubtechnik.de
Contact person: Dr. R. Stadler Telephone: +49 (0) 9072 95 00-0
E-mail (Contact person): info@ksl-staubtechnik.de
Internet: www.ksl-staubtechnik.de

1.4. Emergency telephone number:

+49 (0) 9072 / 95 00-0 (Availability: Mon-Thu 08:00-16:00, Fri 08:00-12:00)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Eye Irrit. 2 H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P264 Wash the skin thoroughly after handling.
P280 Wear protective gloves/protective clothing and eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision: 3/6/2026	esplas N60 Axx, N150 Axx Product code: KSL0026	Page 2 of 11
--------------------	--	--------------

Precautionary statements

P337+P313 If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

May form explosible dust-air mixture if dispersed.
 Mild irritant to the skin.
 Harmful to aquatic life.
 Flammable solid.
 When used as intended, no adverse health effects are known or expected.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name	Quantity
	EC No Index No REACH No	
	Classification (Regulation (EC) No 1272/2008)	
9002-88-4	polyethylene	49,9% - 89,8%
124-04-9	adipic acid	10% - 50%
	204-673-3 607-144-00-9	
	Eye Irrit. 2 H319	
25087-34-7	Ethylene butene 1 copolymer	49,9% - 89,8%
25213-02-9	Ethylene hexene 1 copolymer	49,9% - 89,8%

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
124-04-9	204-673-3	adipic acid	10% - 50%
		inhalation: LC50 = 7,7 mg/l (dusts or mists) dermal: LD50 = 5010 mg/kg oral: LD50 = 5560 mg/kg	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

If symptoms persist, it is advisable to consult a doctor. Tell the doctor what substance/product was involved and what measures were taken.

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water and soap. Remove contaminated clothing and shoes immediately. Consult a doctor.

After contact with eyes

Rinse the eye under running water for 15 minutes, keeping the eyelids wide open, while protecting the uninjured eye. Remove contact lenses, if present and easy to do. Continue rinsing. Consult a doctor.

After ingestion

Rinse mouth thoroughly with water. Spit out the liquid. Do NOT induce vomiting. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Dust may cause irritation to the eyes and respiratory tract.

4.3. Indication of any immediate medical attention and special treatment needed

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision: 3/6/2026

esplas N60 Axx, N150 Axx

Product code: KSL0026

Page 3 of 11

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

water spray , alcohol resistant foam , Dry extinguishing powder , Carbon dioxide (CO₂)

Unsuitable extinguishing media

Full water jet : Danger of dust cloud mixture

5.2. Special hazards arising from the substance or mixture

May form combustible dust concentrations in air.

Prolonged heating above 300°C (in the case of polyethylene) may result in the formation of hazardous decomposition products (oxidised hydrocarbons, carbon monoxide, carbon particles, carbon dioxide). Inhaling the vapours in high concentrations may irritate the respiratory tract.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and suitable protective clothing.

Additional information

Take precautionary measures against static discharge. Avoid dust formation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Wear personal protective clothing as described in Section 8. Do not inhale vapours/mist/gas. Ensure adequate ventilation. Remove persons to safety. Avoid breathing dust/mist. Follow the instructions for safe handling as described in Section 7. Avoid dust formation. Remove all sources of ignition.

For emergency responders

Emergency plans are not required. However, respiratory protection is necessary in case of high dust exposure.

6.2. Environmental precautions

Do not discharge aqueous suspensions directly into waterways. Do not allow to enter waterways, soil or sewage systems.

6.3. Methods and material for containment and cleaning up

For containment

Avoid generating dust.

For cleaning up

Pick up or vacuum the mixture mechanically and collect it in the designated container for disposal in accordance with local regulations. Use tested industrial vacuum cleaners or suction systems for potentially explosive areas.

Other information

Blowing off for cleaning purposes is not permitted.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid dust formation and accumulation. Ensure adequate ventilation in case of dust formation. Information on protective measures can be found in Section 2.2.

Advice on protection against fire and explosion

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision: 3/6/2026	esplas N60 Axx, N150 Axx	Product code: KSL0026	Page 4 of 11
--------------------	---------------------------------	-----------------------	--------------

Take precautionary measures against static discharges. Avoid dust formation. Keep away from sources of ignition
 - No smoking. In case of fire, cool endangered product with water.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Wear a dust mask and safety goggles in dusty atmospheres.

Further information on handling

Only sweep with a suitable broom. For cleaning, use suitable methods such as vacuum suction that are as dry as possible and do not cause dust to form.
 Do not allow to enter waterways, sewage systems or the ground.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store containers in a dry place. Not together with explosive and/or fire-promoting substances.
 Store in a dry place, tightly sealed, preferably in the original container.

7.3. Specific end use(s)

Separation and test dust
 Industrial plastic granulate as a powdered release agent (e.g. for storing flat glass) which is washed off before the products are reused. (Further possible use: industrial plastic granulate for mechanical deburring in closed systems.) Use exclusively in closed industrial processes. Intentional release into the environment is not permitted (see REACH Annex XVII, entry 78, paragraph 4(a)).
 Not intended for thermal processing.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Name of agent	Exposure route	Effect	Value
124-04-9	adipic acid			
Worker DNEL, long-term		inhalation	systemic	264 mg/m ³
Worker DNEL, acute		inhalation	systemic	264 mg/m ³
Worker DNEL, long-term		inhalation	local	5 mg/m ³
Worker DNEL, acute		inhalation	local	5 mg/m ³
Worker DNEL, long-term		dermal	systemic	38 mg/kg bw/day
Worker DNEL, acute		dermal	systemic	38 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	65 mg/m ³
Consumer DNEL, acute		inhalation	systemic	65 mg/m ³
Consumer DNEL, long-term		dermal	systemic	19 mg/kg bw/day
Consumer DNEL, acute		dermal	systemic	19 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	19 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	19 mg/kg bw/day

PNEC values

CAS No	Name of agent	Value
124-04-9	adipic acid	
Freshwater		0,126 mg/l
Marine water		0,0126 mg/l
Freshwater sediment		0,484 mg/kg
Marine sediment		0,0484 mg/kg
Micro-organisms in sewage treatment plants (STP)		59,1 mg/l
Soil		0,0228 mg/kg

Additional advice on limit values

To date, no national critical limit values exist.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

esplas N60 Axx, N150 Axx

Revision: 3/6/2026

Product code: KSL0026

Page 5 of 11

8.2. Exposure controls

Appropriate engineering controls

A combination of technical and individual protective measures is often necessary to comply with occupational exposure limits. Recommended measurement methods for workplace measurements: See the series of publications by the employers' liability insurance association. Technical measures and the selection of suitable procedures take precedence over the use of personal protective equipment.

Technical control measures and individual protective measures are recommended for the identified uses (section 1.2). Ventilate as necessary to control dust in the air. Use an explosion-proof ventilation system if there is a high concentration of dust in the air.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear closed safety goggles in accordance with EN 166 if dust is generated.

Hand protection

Gloves according to EN 374 are recommended.

Skin protection

Use of protective clothing.

Respiratory protection

If exposure limits are exceeded (e.g. when handling powdered product in the open air), a suitable respirator with P1 or P2 particle filter in accordance with standard 143 must be worn, depending on the dust exposure. If, contrary to expectations, particularly high dust concentrations occur, a self-contained breathing apparatus may be appropriate.

Thermal hazards

Hygiene measures: Do not eat, drink or smoke at work. Wash hands and shower if necessary before breaks and at the end of work. Avoid contact with eyes and skin. After work, workers should wash or shower and use skin care products. Clean contaminated clothing, shoes, watches, etc. before reuse.

Environmental exposure controls

See sections 6 and 7. No further action required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	solid
Colour:	whitish
Odour:	weak
Odour threshold:	No data available
Melting point/freezing point:	105° C - 151° C °C
Boiling point or initial boiling point and boiling range:	not applicable
Flammability:	no data available
Lower explosion limits:	$\geq 30 \text{ g/m}^3$
Upper explosion limits:	no data available
Flash point:	$\sim 200^\circ \text{ C } ^\circ\text{C}$
Auto-ignition temperature:	no data available
Decomposition temperature:	$> 330^\circ \text{ C } ^\circ\text{C}$
pH-Value (at 20 °C):	2,5 - 3 (100 g/l)
Viscosity / kinematic:	not applicable
Water solubility:	partially soluble in water
Solubility in other solvents	
	Highly soluble in, for example, esters, ketones and chlorinated hydrocarbons
Dissolution rate:	no data available
Partition coefficient n-octanol/water:	no data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

esplas N60 Axx, N150 Axx

Revision: 3/6/2026

Product code: KSL0026

Page 6 of 11

Dispersion stability:	no data available
Vapour pressure (at 20 °C):	0,1 hPa
Vapour pressure:	no data available
Density:	no data available
Relative density:	no data available
Relative vapour density:	not determined
Particle characteristics:	X50 value: 30µm - 190µm

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

Dust explosive, Dust explosion category: ST 1 in a dust-air mixture and not pyrotechnic.

Self-ignition temperature

Solid: > 350° C °C

Oxidizing properties

Not applicable, mixture has no fire-promoting properties.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions are known if stored and handled properly.

Dust explosion hazard with dust-air mixtures

10.2. Chemical stability

The mixture is stable under normal ambient temperature and pressure.

10.3. Possibility of hazardous reactions

No hazard under normal storage conditions.

Exothermic reaction with: strong acids

10.4. Conditions to avoid

The temperature: > 105° C, Humidity

10.5. Incompatible materials

strong oxidising agents

Reacts with: Basen

10.6. Hazardous decomposition products

None when used as intended.

Prolonged heating above 300°C (in the case of polyethylene) may result in the formation of hazardous decomposition products (oxidised hydrocarbons, carbon monoxide, carbon particles, carbon dioxide).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg ATE (dermal) > 2000 mg/kg ATE (inhalation dust/mist) > 5 mg/l

Safety Data Sheet

according to Regulation (EC) No 1907/2006

esplas N60 Axx, N150 Axx

Revision: 3/6/2026

Product code: KSL0026

Page 7 of 11

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
124-04-9	adipic acid				
	oral	LD50 5560 mg/kg	Rat	Registration Dossier according to Regulation (EC) No. 1907/2006 [REACH].	
	dermal	LD50 5010 mg/kg	Rat	Registration Dossier according to Regulation (EC) No. 1907/2006 [REACH].	
	inhalation (4 h) dust/mist	LC50 7,7 mg/l	Rat	Registration Dossier according to Regulation (EC) No. 1907/2006 [REACH].	

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision: 3/6/2026	esplas N60 Axx, N150 Axx	Product code: KSL0026
		Page 8 of 11

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h][d]	Species	Source	Method
124-04-9	adipic acid					
	Acute fish toxicity	LC50 1000 mg/l	96 h	Danio rerio (zebrafish)	Registration Dossier according to Regulation (EC) No. 1907/2006 [REACH].	OECD 203
	Acute algae toxicity	ErC50 59 mg/l	72 h	Pseudokirchneriella subcapitata	Registration Dossier according to Regulation (EC) No. 1907/2006 [REACH].	IUCLID
	Acute crustacea toxicity	EC50 46 mg/l	48 h	Daphnia magna (Big water flea)	Registration Dossier according to Regulation (EC) No. 1907/2006 [REACH].	OECD 202
	Fish toxicity	NOEC 6,3 mg/l	21 d	Daphnia magna (Big water flea)	Registration Dossier according to Regulation (EC) No. 1907/2006 [REACH].	OECD 211
	Acute bacteria toxicity	7910 g O2/g	3 h		Registration Dossier according to Regulation (EC) No. 1907/2006 [REACH].	OECD 209

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
124-04-9	adipic acid				
	OECD 301D	83%	30	Registration Dossier according to Regulation (EC) No. 1907/2006 [REACH].	
	Readily biodegradable (according to OECD criteria).				

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
124-04-9	adipic acid	0,093

Safety Data Sheet

according to Regulation (EC) No 1907/2006

esplas N60 Axx, N150 Axx

Revision: 3/6/2026

Product code: KSL0026

Page 9 of 11

BCF

CAS No	Chemical name	BCF	Species	Source
124-04-9	adipic acid	3,162	Quantitative structure-activity relationship (QSAR)	Registration Dossier according to Regulation (EC) No. 1907/2006 [REACH].

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.
The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.
Deliberate release into the environment is not permitted.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Can be disposed of in accordance with local authority regulations. The product can be disposed of with household waste or incinerated in accordance with the necessary technical regulations after consultation with the waste disposal company and the competent authority.

The product must be disposed of collectively after use. Do not dispose of in sewage or surface water.

Do not discharge into drains or the environment. Dispose of appropriately via industrial waste treatment.

Discuss the exact waste code with the waste disposal company.

Waste code according to the Waste Catalogue Regulation (AVV) : 070213 Waste plastic

Contaminated packaging

150106 - mixed packaging according to material recycling

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision: 3/6/2026

esplas N60 Axx, N150 Axx

Product code: KSL0026

Page 10 of 11

Air transport (ICAO-TI/IATA-DGR)

- 14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Downstream user conditions or monitoring arrangements:

The product is not subject to the registration requirements of EC Regulation 1907/2006 (REACH).

This product is subject to the conditions set out in entry 78 of Annex XVII to Regulation (EC) No 1907/2006 (REACH).

Use in closed industrial systems - exempt from restriction.

Restrictions on use (REACH, annex XVII):

Entry 75

Directive 2010/75/EU on industrial emissions: 25 %

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

Additional information

Hazardous Substances Ordinance (GefStoffV), TRGS 500, TRGS 510, TRGS 900, Technische Anleitung zur Reinhaltung der Luft (TA-Luft), Regulation on occupational health care (ArbMedVV), BG principles for occupational health check-ups

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Abbreviations and acronyms**

Eye Irrit. 2: Eye irritation, hazard category 2

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

EC/EEC: European Community/European Economic Community

EU: European Union

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

Safety Data Sheet

according to Regulation (EC) No 1907/2006

esplas N60 Axx, N150 Axx

Revision: 3/6/2026

Product code: KSL0026

Page 11 of 11

LD50: Lethal dose, 50%
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
M-factor: Multiplying factor
ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
IMDG: International Maritime Code for Dangerous Goods
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
IATA: International Air Transport Association
DGR: Dangerous Goods Regulations
ICAO: International Civil Aviation Organization
TI: Technical Instructions
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
VOC: volatile organic compound
SVHC: Substance of Very High Concern
For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Key literature references and sources for data

We refer to information provided by raw material suppliers/manufacturers and the ECHA database on classification and labelling as sources for the most important data and technical information.

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Eye Irrit. 2 H319	Calculation method

Relevant H and EUH statements (number and full text)

H319 Causes serious eye irritation.

Further Information

The information in this safety data sheet describes the safety requirements of our product and is based on our current state of knowledge. It does not constitute a guarantee of product properties and does not establish a contractual legal relationship. This safety data sheet is intended solely as a source of information for the user. It has been compiled with the utmost care however, no guarantee can be given for the accuracy of the data, nor can any liability be accepted for the consequences of printing, typesetting or transmission errors. Existing laws, regulations and rules, including those not mentioned in this data sheet, must be observed by the recipient of our products on their own responsibility.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)